

VENUE SPECIFICATION

10m wide x 5m deep. Auditorium floor to stage: 1.2m Height from stage to ceiling: 4m

Drum riser: 2.4m x 2.4m x 0.5m high Various risers: 1.2m x 1.2m x 0.3m high

4 x twin 13 amp socket outlets

4 x 16 amp to 4way 13 amp socket drop.

4 x 32 amp single phase socket outlets

– (lighting) 1 x 63amp single phase socket outlet (BS4343-CEE form type)

EQUIPMENT/CASE STORAGE At rear of stage for flight cases etc..

DRESSING ROOM No 1 - Approx. 28sq mt with separate shower, toilet washing facilities, changing cubicle, full length mirrors and 13 amp socket outlets.

DRESSING ROOM No 2 - Approx. 13.5sq mt with separate toilet and washing facilities, full length mirror & 13 amp socket outlets.

DRESSING ROOM No 3 - Approx. 6sq mt with mirror & 13 amp socket outlets.

Dressing rooms No2 & 3 can be linked together to form a larger single dressing room.

All dressing rooms have direct access to the stage without passing through the auditorium.

GREEN ROOM - Spacious Green Room with private dining facilities, lounge area with sofas...

PRODUCTION OFFICE - Adjacent to main dressing room No 1 approx. 5sq m with desk and telephone/fax/ broadband socket for artists tour manager.

VENUE CAPACITY

700 standing.

310 all seated,

400 Half standing/half seated

IN-HOUSE PRODUCTION

PA SYSTEM

FOH speaker system 8 Kwatt 3-way processor controlled.

i.e. 4 x (2x18") lows

8 x (1x12" + 4x1" compression drivers) mid/hi packs

Behringer X32 digital mixing console running on CAT5 with Behringer S32 stage box.

32 channel recording facilities available.

There's also an option for using the X32 with our network system so that touring engineers can use Ipads on stage and around the venue.

MONITOR SYSTEM

Behringer X32 digital mixing console

1 x Pair DTH Bi Amp (1 x 15" + 1 x 4" compression driver) wedges

1 X SZM Sub + 1 X Martin Audio LE400 wedge for Drum Fills.

4 x SZM Bi Amp wedges

4 x Martin Audio LE400s (Bi Amped wedges)

3 x DBX Driverack PA2 Digital Loudspeaker Management System.

16 Way patchbay to connect monitors at FOH/stage position.

MICROPHONES, ETC..

We carry a comprehensive selection of Shure/Sennheiser/AKG microphones, DI boxes, microphone stands & microphone leads.

Lx

16 x Cameo LED studio par 64

10 x silver par 64 cans

3 x Profile Spots

3 x American DJ Vizi Beam 5R

2 x Audience Blinders.

1 x Avolites Pearl 2004 lighting console

1 x Le Maître Neutron XS Hazer

1 x Zero 88 Beta Pack 2 dimmers (with DMX)

1 x DMX splitter pack

1 x DMX Laser Beamz

1 x Motorized Mirror Ball

1 x Snow Machine

Video Wall

OBS Studio is the software we are currently using for the screens. The screen is capable of 4k resolution But also supports 1080p

(This is also so bands can upload their artwork to the back of the screen)